


Executive Committee Recommendations for Regulation by Bandwidth



up to 200 Hz	
up to 500 Hz	
up to 3 kHz with automatic control	
up to 3 kHz	
up to 16 kHz	
see text for information about AM and ISB emissions	

160 Meters	Proposed Bandwidth
1.800-2.000 MHz	up to 3 kHz
80/75 Meters	
3.500-3.580 MHz	up to 200 Hz
3.580-3.620 MHz	up to 500 Hz
3.620-3.635 MHz	up to 3 kHz with automatic control
3.635-4.000 MHz	up to 3 kHz
40 Meters	
7.000-7.035 MHz	up to 200 Hz
7.035-7.100 MHz	up to 500 Hz
7.100-7.105 MHz	up to 3 kHz with automatic control
7.105-7.300 MHz	up to 3 kHz
30 Meters	
10.100-10.120 MHz	up to 200 Hz
10.120-10.135 MHz	up to 500 Hz
10.135-10.140 MHz	up to 3 kHz
10.140-10.150 MHz	up to 3 kHz with automatic control
20 Meters	
14.000-14.065 MHz	up to 200 Hz
14.065-14.100 MHz	up to 500 Hz
14.100-14.112 MHz	up to 3 kHz with automatic control
14.112-14.350 MHz	up to 3 kHz
17 Meters	
18.068-18.100 MHz	up to 200 Hz
18.100-18.110 MHz	up to 500 Hz
18.110-18.168 MHz	up to 3 kHz
15 Meters	
21.000-21.080 MHz	up to 200 Hz
21.080-21.150 MHz	up to 500 Hz
21.150-21.160 MHz	up to 3 kHz with automatic control
21.160-21.450 MHz	up to 3 kHz
12 Meters	

24.890-24.920 MHz	up to 200 Hz
24.920-24.930 MHz	up to 500 Hz
24.930-24.990 MHz	up to 3 kHz
10 Meters	
28.000-28.050 MHz	up to 200 Hz
28.050-28.120 MHz	up to 500 Hz
28.120-28.189 MHz	up to 3 kHz with automatic control
28.189-29.000 MHz	up to 3 kHz
29.000-29.700 MHz	up to 16 kHz